

XCUT-340



SHARX[®] XCUT-340 – Advanced 15G Cut Level C Protection with Superior Grip Control

SHARX[®] Industrial Protective Gloves – Cut Resistant Series

Product Overview

SHARX[®] XCUT-340 is designed for professionals operating in medium cut-risk environments where flexibility and tactile sensitivity are essential.

The ultra-comfortable 15-gauge construction enhances dexterity, while the foam nitrile palm coating ensures secure grip in dry and light oily conditions.

Key Features

- Cut Resistance Level C
- 15 Gauge HPPE , Polyamide, Elastane liner for enhanced flexibility and comfort
- Gray Aqua-polymer foam Nitrile Palm Coating for improved grip in dry/light oil conditions
- Excellent Abrasion Resistance (Level 4)
- High Tear Resistance (Level 4)
- Lightweight breathable construction
- Ergonomic fit reducing hand fatigue
- Textile safety compliance according to ES 7266-4/2023
- Manufactured in accordance with OEKO-TEX[®] Standard 100 requirements

Performance & Standards

- EN 388:2016 + A1:2018 – Protective gloves against mechanical risks
- Abrasion Resistance: Level 4
- Cut Resistance (Coup Test): X
- Tear Resistance: Level 4
- Puncture Resistance: Level 2
- ISO 13997 Cut Resistance: Level C
- Overall Mechanical Performance: 4X42C
- ES 7266-4/2023 – Safety and health criteria and labelling for textile products (Part 4: Garments)
- ISO 13997 Cut Resistance Value: 10.7N

Industries / Applications

Industries

- Automotive Assembly
- Precision Manufacturing
- Metal Processing (Light-Medium Duty)
- Warehousing & Logistics
- Mechanical Workshops

Applications

- Component assembly
- Sheet metal handling
- Mechanical repair
- Equipment maintenance
- Industrial material handling



Material Construction


- Liner: 15 Gauge HPPE , Polyamide, Elastane
- Coating: Gray Aqua-polymer foam Nitrile Palm Coated
- Construction Type: Palm Coated
- Cuff: Elastic knitted wrist
- Manufactured in accordance with OEKO-TEX[®] Standard 100 requirements

Testing & Certification Details

- Mechanical performance tested according to EN 388:2016 + A1:2018
- Cut resistance verified using the standardized Coup Test Method
- Textile safety and health requirements evaluated in accordance with ES 7266-4/2023
- Products inspected and certified under the Egypt Certificate of Conformity (COC) program
- Testing and inspection conducted in CNAS & ILAC-MRA accredited laboratories
- Fully compliant with GOEIC import requirements for the Arab Republic of Egypt

PROTECTION PERFORMANCE

ANSI/ISEA 105:2024



EN388:2016 +
A1:2018



4X42C

ACCREDITATION



COMPLIANCE

