

XGRIP-301



SHARX[®] Industrial Protective Gloves – XGRIP Series

Product Overview

XGRIP-301 is designed for industrial professionals who require superior grip stability in dry and wet conditions. The crinkle nitrile coating provides enhanced friction performance, making it ideal for material handling, construction, and warehouse operations.

Key Features

- 13 Gauge Blue U3 Polyester liner
- Black Crinkle Nitrile Palm Coating for enhanced grip
- Superior slip resistance in dry and wet environments
- Excellent abrasion resistance (Level 4)
- Durable coating for extended service life
- Flexible and breathable construction
- Comfortable ergonomic fit for prolonged use
- Textile safety compliance according to ES 7266-4/2023
- Manufactured in accordance with OEKO-TEX[®] Standard 100 requirements

Performance & Standards

- EN 388:2016 + A1:2018 – Protective gloves against mechanical risks
- Abrasion Resistance: Level 4
- Cut Resistance (Coup Test): Level 1
- Tear Resistance: Level 2
- Puncture Resistance: Level 1
- ISO 13997 Cut Resistance: Not Applicable
- Overall Mechanical Performance: 4121X
- ES 7266-4/2023 – Safety and health criteria and labelling for textile products (Part 4: Garments)

Industries / Applications

Industries

- Construction & Engineering
- Warehousing & Logistics
- General Manufacturing
- Maintenance & Installation
- Loading & Handling Operations

Applications

- Heavy material handling
- Construction tasks
- Equipment handling
- Loading & unloading
- Warehouse picking operations



Material Construction

- Liner: 13 Gauge Blue U3 Polyester
- Coating: Black Smooth Nitrile Palm Coated
- Construction Type: Palm Coated
- Cuff: Elastic knitted wrist
- Manufactured in accordance with OEKO-TEX[®] Standard 100 requirements

Testing & Certification Details

- Tested according to EN 388:2016 + A1:2018
- EN 388 Mechanical Classification: 4121X
- Compliant with ES 7266-4/2023 textile safety requirements
- Included under Egypt Certificate of Conformity (COC) program
- Fully compliant with applicable PPE standards

PROTECTION PERFORMANCE



ACCREDITATION



COMPLIANCE

