

XCUT-330



SHARX[®] XCUT-330 – Cut Level C – Precision Protection with Superior Grip

SHARX[®] Industrial Protective Gloves – Cut Resistant Series

Product Overview

SHARX[®] XCUT-330 is a high-performance cut resistant glove engineered for precision handling in medium cut-risk environments. Constructed with a 13-gauge HPPE liner and foam nitrile palm coating, it delivers an optimal balance of cut protection, flexibility, breathability, and grip performance. Designed for professionals requiring reliable Cut Level C protection without compromising dexterity.

Key Features

- Cut Resistance Level C for medium mechanical risk protection
- 13 Gauge HPPE Liner offering strength with superior flexibility
- Foam Nitrile Palm Coating for improved grip in dry and light oily conditions
- Excellent Abrasion Resistance (Level 4)
- Breathable Knitted Structure reducing hand fatigue
- Ergonomic Fit enhancing dexterity and control
- Certified Textile Safety Compliance (ES 7266-4/2023) ensuring materials are safe for direct skin contact
- Textile Safety Compliance (OEKO-TEX[®] Standard 100 requirements)
- Materials are manufactured in accordance with OEKO-TEX[®] Standard 100 requirements, ensuring skin-safe performance.

Performance & Standards

- EN 388:2016 + A1:2018 – Protective gloves against mechanical risks
- Abrasion Resistance: Level 4
- Cut Resistance (Coup Test): X
- Tear Resistance: Level 4
- Puncture Resistance: Level 2
- ISO 13997 Cut Resistance: Level C
- Overall Mechanical Performance: 4X42C
- ES 7266-4/2023 – Safety and health criteria and labelling for textile products (Part 4: Garments)


Industries / Applications

Industries

- Metal Fabrication
- Automotive Assembly
- Construction & Engineering
- Warehousing & Logistics
- Machinery Maintenance

Applications

- Handling light sharp materials
- General assembly operations
- Mechanical repair tasks
- Equipment maintenance
- Industrial material handling



Material Construction


- Liner: 13 Gauge HPPE (High Performance Polyethylene), skin-safe textile structure, manufactured in accordance with OEKO-TEX[®] Standard 100 requirements
- Coating: Foam Nitrile Palm Coated
- Cuff: Elastic knitted wrist for secure and comfortable fit

Testing & Certification Details

- Mechanical performance tested according to EN 388:2016 + A1:2018
- Cut resistance verified using the standardized Coup Test Method
- Textile safety and health requirements evaluated in accordance with ES 7266-4/2023
- Products inspected and certified under the Egypt Certificate of Conformity (COC) program
- Testing and inspection conducted in CNAS & ILAC-MRA accredited laboratories
- Fully compliant with GOEIC import requirements for the Arab Republic of Egypt

PROTECTION PERFORMANCE

ANSI/ISEA 105:2024



EN388:2016 +
A1:2018



4X42C

ACCREDITATION



COMPLIANCE

