

XGRIP-302



SHARX[®] Industrial Protective Gloves – XGRIP Series

Product Overview

XGRIP-302 is constructed with a 13-gauge blue polyester liner combined with a black smooth nitrile palm coating. Designed for general industrial applications, the glove provides stable grip performance, mechanical durability, and reliable everyday protection in dry and light oily environments.

Key Features

- 13 Gauge Blue Polyester liner
- Black Smooth Nitrile Palm Coating
- Stable grip performance in dry and light oil conditions
- Excellent abrasion resistance (Level 4)
- Durable coating with long wear resistance
- Flexible and breathable construction
- Comfortable ergonomic fit
- Textile safety compliance according to ES 7266-4/2023
- Manufactured in accordance with OEKO-TEX[®] Standard 100 requirements

Performance & Standards

- EN 388:2016 + A1:2018 – Protective gloves against mechanical risks
- Abrasion Resistance: Level 4
- Cut Resistance (Coup Test): Level 1
- Tear Resistance: Level 2
- Puncture Resistance: Level 1
- ISO 13997 Cut Resistance: Not Applicable
- Overall Mechanical Performance: 4121X
- ES 7266-4/2023 – Safety and health criteria and labelling for textile products (Part 4: Garments)

Industries / Applications

Industries

- Warehousing & Logistics
- General Manufacturing
- Automotive Assembly
- Construction & Maintenance
- Packaging Operations

Applications

- Material handling
- Assembly tasks
- Loading & unloading
- Equipment handling
- General warehouse work



Material Construction

- Liner: 13 Gauge Blue Polyester
- Coating: Black Smooth Nitrile Palm Coated
- Construction Type: Palm Coated
- Cuff: Elastic knitted wrist
- Manufactured in accordance with OEKO-TEX[®] Standard 100 requirements

Testing & Certification Details

- Tested according to EN 388:2016 + A1:2018
- EN 388 Mechanical Classification: 4121X
- Compliant with ES 7266-4/2023 textile safety requirements
- Included under Egypt Certificate of Conformity (COC) program
- Fully compliant with applicable PPE standards

PROTECTION PERFORMANCE



ACCREDITATION



COMPLIANCE

